※ 考生請注意：本試題 ☑可　□不可　使用計算機

1. Which of the following statement is true? Please write out your analytical steps to show how you obtain the answer for full points (20 points)

(1) If a population distribution is skewed to the left, then given a random sample from that population, one would expect that:
   A) The mode would be less than the mean.
   B) The mode would be less than the median .
   C) The median would be less than the mean.
   D) The median would be greater than the mean.

(2) If the Z statistic (critical value) is incorrectly used in lieu of the t statistic when comparing two means from independent populations using small samples, the chance of committing a Type II error _____.
   A) Increases.
   B) Decreases
   C) Remains the same

(3) An investigator hired by a client suing for sex discrimination has developed a multiple regression model for employee salaries for the company in question. In this multiple regression model, the salaries are in thousands of dollars. For example, a data entry of 35 for the dependent variable indicates a salary of $35,000. The indicator (dummy) variable for gender is coded as $X_1 = 0$ if male and $X_1 = 1$ if female. The computer output of this multiple regression model shows that the coefficient for this variable (X_1) is -4.2. The t test showed that X_1 was significant at $\alpha = 0.1$. This result implies that for male and female workers of the company,
   A) On the average, females earn $4200 less.
   B) On the average, males earn $4200 less.
   C) On the average, salaries do not differ.
   D) On the average, males have 4.2 more years of experience.
   E) On the average, females have 4.2 more years of experience.

(4) In one-way ANOVA analysis, as the between-treatment variation decreases, the probability of rejecting the null hypothesis _____.
   A) Increases.
   B) Decreases
   C) Remains the same

（背面仍有題目,請繼續作答）

※ 考生請注意：本試題 ☑可 □不可 使用計算機

2.An investor holds two stocks, each of which can rise(R), remain unchanged (U), or decline (D) on a particular day. Assuming that these stocks move independently and all outcomes are likely, please find the probability that both stocks rise; that both stocks decline; that exactly one tock declines. (10 points)

3.A high-security bank installation has installed four security systems to detect attempted break-ins. The four security systems operate independently for each other, and each has a 0.9 probability of detecting an attempt break-in. Assume an attempt break-in occurs. Please find the probability that at least one of the four security systems will detect it? (10 points)

4.A multiple regression model with four independent variables consists of 29 observations. Multiple coefficient of determination, $R^2 = 0.8$ and the standard error, s = 2.0. Complete the analysis of variance table for this model and test the overall model for significance ($\alpha = 0.05$) (10 points)

5.Let $x_1, x_2, \ldots, x_n$ be a sample of size n from a normal distribution $N(u, \delta^2)$.

Consider the point estimator of σ^2:

$$\hat{\sigma}_1^2 = \frac{1}{n-1} \sum_{i=1}^{n} (x_i - \bar{x})^2$$

$$\hat{\sigma}_2^2 = \frac{1}{n} \sum_{i=1}^{n} (x_i - \bar{x})^2$$

Please indicate which of these estimators are (1) Unbiased (2) Consistent? (10 points)

6.Suppose that X and Y are continues random variables with the joint probability density function

$$f(x, y) = \begin{cases} k(x+y) & for\ 0 \le x \le 1, \quad 0 \le y \le 2 \\ 0 & otherwise \end{cases}$$

Please find the conditional density of X given $Y = 1/2$ and hence $E(X|Y = 1/2)$

and $V(X|Y = 1/2)$. (10 points)

※ 考生請注意：本試題 ☑可 □不可 使用計算機

7. Let $\hat{u}_i$ be the residuals in the least squares fit of y_i against x_i $(i = 1,2..,n)$.

   Derive the following results: (10 points)

$$\sum_{i=1}^{n} \hat{u}_i = 0 \quad \text{and} \quad \sum_{i=1}^{n} x_i \hat{u}_i = 0$$

8. In a one-way analysis of variance with three treatments, each with five measurements, in which a completely randomized design is used, compute the F statistic where the sum of squares treatment is 17.0493 and the sum of squares error is 8.028. (10 points)

9. The following null and alternative hypotheses are given.

$$H_0 : u \leq 50$$
$$H_1 : u > 50$$

   Suppose the population standard deviation is 10. The probability of a Type I error is set at 0.01 and the probability of a Type II error at 0.3. Assume that the population mean shifts from 50 to 55. How large a sample is necessary to meet these requirements? (10 points)

系所組別： 交通管理科學系甲、乙、丙、丁組,電信管理研究所甲、乙、丙組

考試科目： 統計學　　　　　　　　　　　　　　　　　　　　考試日期：0308，節次：2

※ 考生請注意：本試題 ☑可　□不可 使用計算機

Critical Values of the *F* Distribution at a 5 Percent Level of Significance

	Degrees of Freedom for the Numerator															
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40
1	161	200	216	225	230	234	237	239	241	242	244	246	248	249	250	251
2	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.5	19.5	19.5
3	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39

Degrees of Freedom for the Denominator

※ 考生請注意：本試題 ☑可　□不可 使用計算機

系所組別：　交通管理科學系甲、乙、丙、丁組，電信管理研究所甲、乙、丙組

考試科目：　統計學　　　　　　　　　　　　　　　　　考試日期：0308，節次：2

※ 考生請注意：本試題 ☑可　□不可　使用計算機

Areas under the Normal Curve

Example:
If $z = 1.96$, then
$P(0$ to $z) = 0.4750$.

0.4750

$z \longrightarrow$　　　0　　1.96

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990

系所組別：　交通管理科學系甲、乙、丙、丁組，電信管理研究所甲、乙、丙組

考試科目：　統計學

※ 考生請注意：本試題 ☑可　□不可　使用計算機