

1. In tossing a pair of dice independently and repeatedly, What is the probability of getting a seven (7) before a four (4)? (10%)

2. A machine manufactures thousands of parts a day. Normally 10% of them are defective. A sample of 14 is taken from a days' output which will be inspected 100% if five or more defectives are found in the sample. Compute the probability that a day's production will be 100% inspected? (10%)

3. A company is interested to know the life of a particular electronic component. If ten (10) components randomly selected from the production line are tested and their lifetimes (measured in 10,000 hours) are recorded as follows:

9, 3, 5, 7, 2, 3, 1, 4, 8, 4.

- (a) What are the assumptions that we need to make for the above samples?
(b) What will the possible time that 90% of the electronic components are still alive and can be used?
(c) How can we judge the possible life distribution of the electronic components? (15%)

4. If the distribution of weights of all passengers travelling by air from Tainan to Taipei has a mean of 163 lbs. (磅) and standard deviation of 18 lbs. What is the probability that the combined weight of 36 passengers travelling on a plane is more than 6000 lbs? (10%)

5. Which one of the following statement is correct? Show and explain your reasons.

- (a) $E(E(X|Y)) = E(Y)$
(b) $E(E(X|Y)) = E(X)$ (10%)

6. A bowl contains 10 chips of which 8 are red and worth \$2.00 each and two green and worth \$5 each. A person selects at random and without replacement 3 chips from this bowl. If the person is to receive the sum of the resulting amounts, find his expectation. (10%)

(背面仍有題目,請繼續作答)

7. Supermarket chains often carry products with their own brand labels. A supermarket conducted a taste test to determine whether there was a difference in taste among the four brands of food products it carried (A,B,C,D). A sample of 200 people surveyed, and the results of their preferences are summarized as follows:

Brand Preferences			
A	B	C	D
39	57	55	49 (人)

Is there any evidence of a difference in preference for the four brands? Test at 5% significance level. (15%)

8. Given the following sales data (Units: \$1000):

Sales (X): 314, 315, 316, 317, 318

Costs (Y): 204, 202, 205, 203, 206

(a) Obtain the linear regression equation.

(b) When sales are \$320,000, how much is the expected costs, and how much is the profits?


(c) Establish an ANOVA table and evaluate the adequacy of the models.

(d) What is the 95% confidence interval of the estimate in (b).

(20%)

Normal Curve Areas


Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
1	.0398	.0438	.0478	.0517	.0557	.0596	.0635	.0675	.0714	.0753
2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
10	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
11	.3643	.3665	.3686	.3706	.3729	.3749	.3770	.3790	.3810	.3830
12	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
13	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
14	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
15	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
16	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
17	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
18	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
19	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
20	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
21	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
22	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
23	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
24	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
25	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
26	.4953	.4955	.4956	.4957	.4958	.4959	.4960	.4961	.4962	.4963
27	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
28	.4976	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981	.4981
29	.4981	.4982	.4983	.4983	.4984	.4984	.4985	.4985	.4986	.4986
30	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990



Values of t

df	.45	.40	.35	.30	.25	.20	.15	.10	.05	.025	.01	.005
1	1.58	3.25	5.10	7.27	1.000	1.396	1.963	3.078	6.314	12.706	31.821	63.657
2	1.44	2.89	4.45	6.17	.816	1.061	1.386	1.886	2.920	4.303	6.965	9.925
3	1.33	2.77	4.24	5.84	.765	.978	1.250	1.638	2.353	3.182	4.541	5.841
4	1.25	2.71	4.14	5.69	.741	.941	1.190	1.533	2.132	2.776	3.747	4.604
5	1.22	2.67	4.08	5.59	.727	.920	1.156	1.476	2.015	2.571	3.365	4.032
6	1.21	2.65	4.04	5.53	.718	.906	1.134	1.440	1.943	2.447	3.143	3.707
7	1.20	2.63	4.02	5.49	.711	.896	1.119	1.415	1.895	2.365	2.998	3.499
8	1.19	2.62	3.99	5.45	.706	.889	1.108	1.397	1.860	2.306	2.896	3.355
9	1.19	2.61	3.98	5.43	.703	.883	1.100	1.383	1.833	2.262	2.821	3.250
10	1.18	2.60	3.96	5.42	.700	.879	1.092	1.372	1.812	2.228	2.764	3.106
11	1.18	2.60	3.95	5.40	.697	.873	1.085	1.363	1.796	2.179	2.681	3.055
12	1.18	2.59	3.95	5.39	.695	.871	1.083	1.356	1.782	2.179	2.681	3.055
13	1.18	2.59	3.94	5.38	.694	.870	1.079	1.350	1.771	2.160	2.650	3.012
14	1.18	2.58	3.93	5.37	.692	.868	1.076	1.345	1.761	2.145	2.624	2.977
15	1.18	2.58	3.93	5.36	.691	.866	1.074	1.341	1.753	2.131	2.602	2.947
16	1.18	2.58	3.92	5.35	.690	.865	1.071	1.337	1.746	2.119	2.589	2.921
17	1.18	2.57	3.92	5.34	.689	.864	1.069	1.333	1.740	2.110	2.567	2.898
18	1.17	2.57	3.92	5.34	.688	.862	1.067	1.330	1.734	2.101	2.552	2.878
19	1.17	2.57	3.91	5.33	.688	.861	1.066	1.328	1.729	2.093	2.539	2.861
20	1.17	2.57	3.91	5.33	.687	.861	1.064	1.325	1.723	2.086	2.528	2.845
21	1.17	2.57	3.91	5.32	.686	.859	1.063	1.323	1.721	2.080	2.518	2.831
22	1.17	2.56	3.90	5.32	.686	.858	1.061	1.321	1.717	2.074	2.508	2.819
23	1.17	2.56	3.90	5.32	.685	.858	1.060	1.319	1.714	2.069	2.500	2.807
24	1.17	2.56	3.90	5.31	.685	.857	1.059	1.318	1.711	2.064	2.492	2.797
25	1.17	2.56	3.90	5.31	.684	.856	1.058	1.316	1.708	2.060	2.485	2.787
26	1.17	2.56	3.90	5.31	.684	.856	1.058	1.315	1.706	2.056	2.479	2.779
27	1.17	2.56	3.89	5.31	.684	.855	1.057	1.314	1.703	2.052	2.473	2.773
28	1.17	2.56	3.89	5.30	.683	.855	1.056	1.313	1.701	2.048	2.467	2.765
29	1.17	2.56	3.89	5.30	.683	.854	1.055	1.311	1.699	2.045	2.462	2.756
30	1.17	2.56	3.89	5.30	.683	.854	1.055	1.310	1.697	2.042	2.457	2.750
31	1.17	2.56	3.89	5.30	.683	.854	1.055	1.310	1.697	2.042	2.457	2.750

Reprinted with permission of Macmillan Publishing Co. Inc. from STATISTICAL METHODS FOR RESEARCH WORKERS, 14th ed., by Ronald A. Fisher. Copyright (c) 1970 University of Adelaide.





(背面仍有題目,請繼續作答)


values of χ^2

α	.99	.95	.90	.80	.70	.50	.30	.20	.10	.05	.02	.01
1	.000157	.000338	.000793	.0133	.0642	.148	.235	.308	.375	.435	.483	.521
2	.0201	.0404	.103	.213	.344	.505	.675	.838	1.064	1.385	1.676	2.003
3	.115	.185	.273	.384	.505	.675	.838	1.064	1.385	1.676	2.003	2.366
4	.297	.433	.578	.738	.904	1.107	1.327	1.564	1.821	2.079	2.338	2.599
5	.554	.728	.904	1.084	1.271	1.476	1.688	1.917	2.163	2.412	2.661	2.910
6	.872	1.134	1.403	1.680	1.965	2.267	2.586	2.921	3.271	3.635	3.993	4.354
7	1.239	1.564	1.897	2.238	2.586	2.942	3.313	3.699	4.091	4.489	4.891	5.297
8	1.646	2.032	2.428	2.834	3.240	3.657	4.084	4.521	4.968	5.425	5.891	6.357
9	2.088	2.532	2.975	3.438	3.910	4.392	4.884	5.386	5.898	6.420	6.951	7.482
10	2.558	3.059	3.560	4.061	4.562	5.063	5.564	6.065	6.566	7.067	7.568	8.069
11	3.053	3.609	4.165	4.676	5.187	5.688	6.189	6.690	7.191	7.692	8.193	8.694
12	3.571	4.176	4.781	5.292	5.803	6.304	6.805	7.306	7.807	8.308	8.809	9.310
13	4.107	4.765	5.370	5.881	6.392	6.893	7.394	7.895	8.396	8.897	9.398	9.899
14	4.660	5.368	6.014	6.565	7.076	7.577	8.078	8.579	9.080	9.581	10.082	10.583
15	5.229	5.981	6.674	7.225	7.736	8.237	8.738	9.239	9.740	10.241	10.742	11.243
16	5.814	6.614	7.357	7.908	8.419	8.920	9.421	9.922	10.423	10.924	11.425	11.926
17	6.408	7.255	8.048	8.599	9.100	9.601	10.102	10.603	11.104	11.605	12.106	12.607
18	7.015	7.906	8.743	9.294	9.795	10.296	10.797	11.298	11.799	12.299	12.799	13.299
19	7.633	8.567	9.450	10.001	10.502	11.003	11.504	12.005	12.506	13.007	13.508	14.009
20	8.260	9.237	10.170	10.721	11.222	11.723	12.224	12.725	13.226	13.727	14.228	14.729
21	8.897	9.913	10.896	11.447	11.948	12.449	12.950	13.451	13.952	14.453	14.954	15.455
22	9.544	10.600	11.593	12.144	12.645	13.146	13.647	14.148	14.649	15.150	15.651	16.152
23	10.196	11.293	12.306	12.857	13.358	13.859	14.360	14.861	15.362	15.863	16.364	16.865
24	10.854	11.993	13.024	13.575	14.076	14.577	15.078	15.579	16.080	16.581	17.082	17.583
25	11.524	12.697	13.760	14.311	14.812	15.313	15.814	16.315	16.816	17.317	17.818	18.319
26	12.203	13.409	14.492	15.043	15.544	16.045	16.546	17.047	17.548	18.049	18.550	19.051
27	12.889	14.133	15.236	15.787	16.288	16.789	17.290	17.791	18.292	18.793	19.294	19.795
28	13.581	14.877	16.000	16.551	17.052	17.553	18.054	18.555	19.056	19.557	20.058	20.559
29	14.279	15.644	16.773	17.324	17.825	18.326	18.827	19.328	19.829	20.330	20.831	21.332
30	14.983	16.426	17.567	18.116	18.617	19.118	19.619	20.120	20.621	21.122	21.623	22.124

Example:



Denominator df_2	Numerator df_1																	
	1	2	3	4	5	6	7	8	9	10	12	15	20	25	30	40	50	
1	647.8	700.5	763.2	825.8	888.5	951.2	1013.8	1076.5	1139.2	1201.8	1264.5	1327.2	1389.8	1452.5	1515.2	1577.8	1640.5	1703.2
2	38.51	39.00	39.47	39.93	40.39	40.84	41.29	41.74	42.19	42.64	43.09	43.54	43.99	44.44	44.89	45.34	45.79	46.24
3	17.44	16.04	15.44	15.10	14.80	14.53	14.27	14.02	13.77	13.52	13.27	13.02	12.77	12.52	12.27	12.02	11.77	11.52
4	12.22	10.85	10.38	10.10	9.86	9.63	9.41	9.19	8.97	8.76	8.55	8.34	8.13	7.92	7.71	7.50	7.29	7.08
5	10.01	8.43	7.97	7.70	7.45	7.22	7.00	6.78	6.57	6.36	6.15	5.94	5.73	5.52	5.31	5.10	4.89	4.68
6	8.81	7.26	6.80	6.53	6.28	6.05	5.83	5.62	5.41	5.20	5.00	4.79	4.58	4.37	4.16	3.95	3.74	3.53
7	8.07	6.54	6.08	5.81	5.56	5.33	5.11	4.90	4.69	4.48	4.27	4.06	3.85	3.64	3.43	3.22	3.01	2.80
8	7.57	6.06	5.60	5.33	5.08	4.85	4.63	4.42	4.21	4.00	3.79	3.58	3.37	3.16	2.95	2.74	2.53	2.32
9	7.21	5.71	5.25	4.98	4.73	4.50	4.28	4.07	3.86	3.65	3.44	3.23	3.02	2.81	2.60	2.39	2.18	1.97
10	6.91	5.41	4.95	4.68	4.43	4.20	3.98	3.77	3.56	3.35	3.14	2.93	2.72	2.51	2.30	2.09	1.88	1.67
11	6.72	5.21	4.75	4.48	4.23	4.00	3.78	3.57	3.36	3.15	2.94	2.73	2.52	2.31	2.10	1.89	1.68	1.47
12	6.55	5.10	4.64	4.37	4.12	3.89	3.67	3.46	3.25	3.04	2.83	2.62	2.41	2.20	1.99	1.78	1.57	1.36



Denominator df_2	Numerator df_1																	
	1	2	3	4	5	6	7	8	9	10	12	15	20	25	30	40	50	
1	161.4	189.8	215.7	244.6	269.7	294.8	320.0	345.1	370.2	395.3	420.4	445.5	470.6	495.7	520.8	545.9	571.0	596.1
2	19.51	20.00	20.47	20.93	21.39	21.84	22.29	22.74	23.19	23.64	24.09	24.54	24.99	25.44	25.89	26.34	26.79	27.24
3	10.13	9.65	9.29	8.94	8.59	8.24	7.89	7.54	7.19	6.84	6.49	6.14	5.79	5.44	5.09	4.74	4.39	4.04
4	7.71	6.94	6.60	6.25	5.90	5.55	5.20	4.85	4.50	4.15	3.80	3.45	3.10	2.75	2.40	2.05	1.70	1.35
5	6.81	5.78	5.44	5.09	4.74	4.39	4.04	3.69	3.34	2.99	2.64	2.29	1.94	1.59	1.24	0.89	0.54	0.19
6	5.99	5.14	4.79	4.44	4.09	3.74	3.39	3.04	2.69	2.34	1.99	1.64	1.29	0.94	0.59	0.24	-0.11	-0.46
7	5.38	4.74	4.38	4.03	3.68	3.33	2.98	2.63	2.28	1.93	1.58	1.23	0.88	0.53	0.18	-0.17	-0.52	-0.87
8	4.92	4.46	4.07	3.72	3.37	3.02	2.67	2.32	1.97	1.62	1.27	0.92	0.57	0.22	-0.13	-0.48	-0.83	-1.18
9	4.52	4.24	3.84	3.49	3.14	2.79	2.44	2.09	1.74	1.39	1.04	0.69	0.34	-0.01	-0.36	-0.71	-1.06	-1.41
10	4.18	4.10	3.71	3.36	3.01	2.66	2.31	1.96	1.61	1.26	0.91	0.56	0.21	-0.14	-0.49	-0.84	-1.19	-1.54
11	3.84	3.98	3.60	3.25	2.90	2.55	2.20	1.85	1.50	1.15	0.80	0.45	0.10	-0.25	-0.60	-0.95	-1.30	-1.65
12	3.58	3.83	3.45	3.10	2.75	2.40	2.05	1.70	1.35	1.00	0.65	0.30	-0.05	-0.40	-0.75	-1.10	-1.45	-1.80