

- 1 (15%) Find the quadratic polynomial that interpolates the points  $P_1(1, 3)$ ,  $P_2(2, 4)$  and  $P_3(3, 7)$ .
- 2 (10%) Find the area of the triangle with vertices  $P_1(2, 2, 4)$ ,  $P_2(-1, 0, 5)$ , and  $P_3(3, 4, 3)$ .
- 3 A lot includes four defective (D) items and six good (G) ones. You select one item randomly and test it. Then, without replacement, you test a second item. Let the random variable  $x_1$  and  $x_2$  represent the outcomes for the first and second items, respectively.
  - (a) (10%) Determine the joint probability density function (pdf) of  $x_1$  and  $x_2$ .
  - (b) (5%) Determine the marginal distribution of  $x_2$ .
  - (c) (15%) Suppose that you get \$5 for each good item you select but must pay \$6 if it is defective. Determine the mean and variance of your revenue after two items have selected.
- 4 (15%) The inside diameter of a cylinder has the specifications  $1 \pm 0.03$  inch. The machining process output follows a normal distribution with mean 1 inch and standard deviation .1 inch. Determine the percentage of production that will meet the specifications. (Hint: You may use the attached normal distribution table.)
- 5 Consider a simple experiment that results in "success" with probability  $p$  or "failure" with probability  $q$  equal to  $1-p$ . Let  $X$  equal 1 if a "success" occurs and 0 if a "failure" occurs. Thus  $X$  has the binomial distribution with sample size  $n$  equal to 1.
  - (a) (5%) Find the expected value of  $X$ .
  - (b) (15%) If  $X$  has the binomial distribution with  $n$  equal to 1, then  $P(X=1) = p$  and  $P(X=0) = 1-p$ . Find the standard deviation of  $X$ .
- 6 (10%) A certain computer program is supposed to furnish random digits. If the program is accomplishing its purpose, the computer prints out digits (2, 3, 7, 4, etc.) that seem to be observations on independent and identically distributed random variables, where each digit 0, 1, 2, ..., 9 is equally likely (probability 0.1) to be obtained. One way of testing

$H_0$ : The number appear to be random digits

$H_a$ : Some digits are more likely than others

Three hundreds digits are generated with the following summary. Each digit is


(背面仍有題目,請繼續作答)

equally likely under the null hypothesis, so the expected number of occurrences is 30 for each of the ten digits.

Digit	0	1	2	3	4	5	6	7	8	9	Total
Observed frequency	22	28	41	35	19	25	25	40	30	35	300
Expected frequency	30	30	30	30	30	30	30	30	30	30	300

Use Chi-squared goodness-of-fit test for your conclusions. (Hint: You may use the attached Chi-squared distribution table.)

TABLE 4 Normal Curve Areas



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990

Source: Abridged from Table I of A. Hald, *Statistical Tables and Formulas* (New York: John Wiley & Sons, Inc.), 1952. Reproduced by permission of A. Hald and the publisher.

TABLE A2 Chi-Squared Distribution\*

	$p = 0.750$	0.900	0.950	0.975	0.990	0.995	0.999
$k = 1$	1.323	2.706	3.841	5.024	6.635	7.879	10.83
2	2.773	4.605	5.991	7.378	9.210	10.60	13.82
3	4.108	6.251	7.815	9.348	11.34	12.84	16.27
4	5.385	7.779	9.488	11.14	13.28	14.86	18.47
5	6.626	9.236	11.07	12.83	15.09	16.75	20.51
6	7.841	10.64	12.59	14.45	16.81	18.55	22.46
7	9.037	12.02	14.07	16.01	18.48	20.28	24.32
8	10.22	13.36	15.51	17.53	20.09	21.96	26.13
9	11.39	14.68	16.92	19.02	21.67	23.59	27.88
10	12.55	15.99	18.31	20.48	23.21	25.19	29.59
11	13.70	17.28	19.68	21.92	24.73	26.76	31.26
12	14.85	18.55	21.03	23.34	26.22	28.30	32.91
13	15.98	19.81	22.36	24.74	27.69	29.82	34.53
14	17.12	21.06	23.68	26.12	29.14	31.32	36.12
15	18.25	22.31	25.00	27.49	30.58	32.80	37.70
16	19.37	23.54	26.30	28.85	32.00	34.27	39.25
17	20.49	24.77	27.59	30.19	33.41	35.72	40.79
18	21.60	25.99	28.87	31.53	34.81	37.16	42.31
19	22.72	27.20	30.14	32.85	36.19	38.58	43.82
20	23.83	28.41	31.41	34.17	37.57	40.00	45.32
21	24.93	29.62	32.67	35.48	38.93	41.40	46.80
22	26.04	30.81	33.92	36.78	40.29	42.80	48.27
23	27.14	32.01	35.17	38.08	41.64	44.18	49.73
24	28.24	33.20	36.42	39.37	42.98	45.56	51.18
25	29.34	34.38	37.65	40.65	44.31	46.93	52.62
26	30.43	35.56	38.89	41.92	45.64	48.29	54.05
27	31.53	36.74	40.11	43.19	46.96	49.64	55.48
28	32.62	37.92	41.34	44.46	48.28	50.99	56.89
29	33.71	39.09	42.56	45.72	49.59	52.34	58.30
30	34.80	40.26	43.77	46.98	50.89	53.67	59.70
40	45.62	51.81	55.76	59.34	63.69	66.77	73.40
50	56.33	63.17	67.50	71.42	76.15	79.49	86.66
60	66.98	74.40	79.08	83.30	88.38	91.95	99.61
70	77.58	85.53	90.53	95.02	100.4	104.2	112.3
80	88.13	96.58	101.9	106.6	112.3	116.3	124.8
90	98.65	107.6	113.1	118.1	124.1	128.3	137.2
100	109.1	118.5	124.3	129.6	135.8	140.2	149.4
$\chi_p$	0.675	1.282	1.645	1.960	2.326	2.576	3.090