國立成功大學九十七學年度碩士班招生考試試題

共 22 頁,第/頁

系所:生命科學系甲、乙組,生物多樣性研究所

科目:普通生物學

本試題是否可以使用計算機: □可使用 ,

可使用 , 127不可使用

(請命題老師勾選)

考試日期:0302,節次:3

每題1分,總分100分。

- 1. How does RNA polymerase know where to start transcribing a gene into mRNA?
- A. It starts at one end of the chromosome.
- B. Transfer RNA acts to translate the message to RNA polymerase.
- C. It starts at a certain nucleotide sequence called a promoter.
- D. The ribosome directs it to the correct portion of the DNA molecule.
- E. It looks for the AUG start codon.
- If phages are labeled with radioactive sulfur and allowed to infect bacterial cells, the phage progeny resulting from lysis are expected
- A. to be non-radioactive.
- B. to have radioactive DNA.
- C. to have radioactive proteins.
- D. to have radioactive DNA and proteins.
- E. to have radioactive carbohydrates.
- 3. Amino acids are attached to tRNAs by enzymes called:
- A. protein synthetases.
- B. RNA polymerase.
- C. aminoacyl-tRNA synthetases.
- D. triplet synthetase.
- E. DNA polymerases.
- 4. Which of the following characteristics or processes is common to both bacteria and virus?
- A. binary fission.
- B. mitosis.
- C. nucleic acid as genetic material.
- D. ribosomes in the cytoplasm.
- E. conjugation.
- 5. In cats, black fur color is caused by an X-linked allele; the other allele at this locus causes orange color. The heterozygote is tortoiseshell. What kinds of offspring would you expect from the cross of a black female and an orange male?
- A. tortoiseshell female; black male.
- B. tortoiseshell female; tortoiseshell male.

編號: 75,22 國立成功大 系所:生命科學系甲、乙組,生物多樣性研	•	學年度碩士班招生考試 科目:普通生物學	試題	共 22頁	第2
	「プレアリ ・ 不可使用	(請命題老師勾選)		/試日期:0302	· 第77 ·
C. orange female; black male.				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	MAX.
,					
D. black female; orange male.					
E. orange female; orange male.					
6. Crossing over usually contributes to genetic	ic variation	by exchanging chromos	omal segmen	ts between	
A. nonhomologous loci of the genome.					
B. nonsister chromatids of homologues.	·				
C. chromatids of nonhomologues.					
D. sister chromatids of a chromosome.	•				
E. autosomes and sex chromosomes.					
7. A frameshift mutation could result from	,				
A. deletion of three consecutive bases.					
B. a base substitution only.				•	
C. a base deletion only.					
D. a base insertion only.					
E. either an insertion or a deletion of a base.					
8. Black fur in mice (B) is dominant to bro	own fur (b). Short tails (T) are do	minant to lo	ng tails (t).	What
fraction of the progeny of the cross BbTt m		•			
A. 3/16.			,		1
B. 3/8.					
C. 1/16.					
D. 9/16.				*	
E. 1/2.					
9. A class of mutations which results in mul	tiple conti	guous amino acid change	es in proteins	is likely to	be
the following.	•				
A. base analogue.					
B. transversion.			•		
C. transition.		•			
D. frameshift.					
E recombinant					

國立成功大學九十七學年度碩士班招生考試試題

共 22 頁,第

系所:生命科學系甲、乙組,生物多樣性研究所

科目:普通生物學

本試題是否可以使用計算機: □可使用 , ☑不可使用

(請命題老師勾選)

考試日期:0302,節次:3

- 10. How does the sexual life cycle increase the genetic variation in a species?
- A. by allowing crossing over.
- B. by allowing random fertilization.
- C .by allowing independent assortment of chromosomes.
- D. (A) and (B) only.
- E. (A), (B), and (C).
- 11. Which of the following contributes to the emergence of viral disease?
- A. production of new virus strains through mutation
- B. spread of existing virus from one host species to another
- C. transformation from lytic to lysogenic activity
- D. A and B only
- E. A. B. and C
- 12. What does the operon model attempt to explain?
- A. the coordinated control of gene expression in bacteria
- B. bacterial resistance to antibiotics
- C. how genes move between homologous regions of DNA
- D. the mechanism of viral attachment to a host cell
- E. horizontal transmission of plant viruses
- 13. Which of the following mechanisms is (are) used to coordinately control the expression of multiple, related genes in eukaryotic cells?
- A. organization of the genes into clusters, with local chromatin structures influencing the expression of all the genes at once
- B. each of the genes sharing a common control element, allowing a single activator to turn on their transcription at once, regardless of their location in the genome
- C. organizing the genes into large operons, allowing them to be transcribed as a single unit
- D. A and B only
- E. A, B, and C
- 14. Tumor suppressor genes
- A. are frequently overexpressed in cancerous cells.
- B. are cancer-causing genes introduced into cells by viruses.

編號:

國立成功大學九十七學年度碩士班招生考試試題

共22頁・第4頁

系所:生命科學系甲、乙組 ,生物多樣性研究所

科目:普通生物學

本試題是否可以使用計算機: □可使用 , ☑不可使用

(請命題老師勾選)

考試日期:0302,節次:3

- C. can encode proteins that promote DNA repair or cell-cell adhesion.
- D. often encode proteins that stimulate the cell cycle.
- E. all of the above
- 15. A gene that contains introns can be made shorter (but remain functional) for genetic engineering purposes by using
- A. RNA polymerase to transcribe the gene.
- B. a restriction enzyme to cut the gene into shorter pieces.
- C. reverse transcriptase to reconstruct the gene from its mRNA.
- D. DNA polymerase to reconstruct the gene from its polypeptide product.
- E. DNA ligase to put together fragments of the DNA that codes for a particular polypeptide.
- Which of the following is *least* related to the others?
- A. Southern blotting
- B. denaturation
- C. nucleic acid probe
- D. RNA interference
- E. nucleic acid hybridization
- 17. In the inflammatory response, the absence of which of the following would prevent all the others from happening?
- A. dilation of arterioles
- B. increased permeability of blood vessels
- C. increased population of phagocytes in the area
- D. release of histamine
- E. leakage of plasma to the affected area
- 18. In which of the following situations will helper T cells be activated?
- A. when an antigen is displayed by a dendritic cell
- B. when a cytotoxic T cell releases cytokines
- C. when natural killer (NK) cells come in contact with a tumor cell
- D. in the bone marrow during the self tolerance test
- E. when B cells respond to T-independent antigens

編號: 75,77 國立成功大學九十七學年度碩士班招生考試試題 共22頁,第5頁 系所:生命科學系甲、乙組,生物多樣性研究所 科目:普通生物學 本試題是否可以使用計算機: □可使用 , **公**不可使用 (請命題老師勾選) 考試日期:0302,節次:3 19. Hydrocarbons are not soluble in water because A. they are hydrophilic. B. the C—H bond is very nonpolar. C. they do not ionize. D. they sore energy in the many C—H bonds along the carbon backbone. E. they were lighter than water. 20. The functional group that can cause an organic molecule to act as a base is A. ---COOH. B. —OH. C. —SH. D. --NH₂. E. —OPO₃-2 21. Which of the following is not true of a pentose? A. It can be found in the nucleic acid. B. It can occur in a ring structure. C. It has a formula $C_5H_{12}O_5$. D. It has one carbonyl and four hydroxyl groups. E. It may be an aldose or a ketose. 22. What happens when a protein denatures? A. it loses its primary structure. B. it loses its secondary and tertiary structure. C. it becomes irreversibly insoluble and precipitates. D. it hydrolyzes into component amino acids. E. its hydrogen bonds, ionic bonds, hydrophobic interactions, disulfide bridges, and peptide bonds are disrupted. 23. When a protein forms from amino acids, the following changes apply: A. $+\Delta H$, $-\Delta S$, $+\Delta G$ B. $+\Delta H$, $+\Delta S$, $-\Delta G$

(背面仍有題目.請繼續作答)

C. $+\Delta H$, $+\Delta S$, $+\Delta G$ D. $-\Delta H$, $+\Delta S$, $+\Delta G$

編號: 75,22 系所:生命科學系甲、乙組	國立成功大學九十一 ,生物多樣性研究所	七學年度碩士班招生考試試題 科目:普通生物學	共でア東・第6
本試題是否可以使用計算機:	□可使用 , ☑不可使用	(請命題老師勾選)	考試日期: 0302,節次:
EΔH, -ΔS, +ΔG			
	,		
24. At equilibrium,			
A. no enzymes are fun	ctioning.		
$\mathbf{B} \cdot \Delta \mathbf{G} = 0$			
C. the forward and ba	ckward reactions have sto	pped.	
	actants have equal values		
E. a reaction has a $+\Delta$	•		
25. Breathing rate will incre	ase when CO ₂ in ye	our blood causes a in pH.	
A. increased / rise		- Address - L	
B. increased / drop			
C. decreased / rise			
D. decreased / drop		•	
•	in the blood that normally	signals changes in breathing rate	
			•
26. Which of the following i	s not a factor in the excha	inge of substances in capillary bec	ls?
	and exocytosis		
B. passive diffus			
C. hydrostatic p	ressure		
D. bulk flow thro	ough clefts between endot	helial cells	
	ort by white blood cells		
· •			
27. A freshwater fish would	be expected to		
	rough salt glands in the g	ills.	
	ous quantities of dilute uring		
	t across the epithelium of		
	t reduce water loss to the		
E. do all of the ab			
28. All of the following are f	unctions of the vertebrate	liver except	
	ation of drugs and toxins.		
	of plasma proteins.		
	version of glucose and gly	cogen.	

國立成功大學九十七學年度碩士班招生考試試題

共22頁,第7頁

系所:生命科學系甲、乙組,生物多樣性研究所

科目:普通生物學

本試題是否可以使用計算機: □可使用

可使用 , 🗹不可使用

(請命題老師勾選)

考試日期:0302,節次:3

- D. synthesis of urine.
- E. synthesis of bile.
- 29. Only certain cells in the body are target cells for the steroid hormone aldosterone. Which of the following is the best explanation for why these are the only cells that respond to this hormone?
 - A. Only target cells are exposed to aldosterone.
 - B. Only target cells contain receptors for aldosterone.
 - C. Aldosterone is unable to enter nontarget cells.
 - D. Nontarget cells destroy aldosterone before it can produce its effect.
 - E. Nontarget cells convert aldosterone to a hormone to which they do respond.
- 30. Frequently, very few molecules of a hormone are required to affect changes in a target cell. This is because
 - A. hormones are lipid-soluble and readily penetrate the membranes of the target cell.
 - B. hormones are large molecules that remain in circulation for months and can repeatedly stimulate the same cell.
 - C. the mechanism of hormonal action involves an enzyme cascade that amplifies the response to a hormone.
 - D. the mechanism of hormonal action involves the rapid replication of the hormone within the target cell.
 - E. the mechanism of hormonal action involves memory cells that have had prior contact with the hormone.
- 31. When neurotransmitter Z is released into the extracellular fluid in contact with a portion of the cell membrane, channels open that allow both X and Y through the membrane. Which of the following is incorrect?
 - A. The magnitude of the potential will immediately increase.
 - B. Y will diffuse into the cell.
 - C. X will diffuse out of the cell.
 - D. The membrane will depolarize.
 - E. The channels are chemically gated.
- 32. What do Wernicke's and Broca's regions of the brain affect?
- A. olfaction
- B. vision

編號: 75,77 國立成功大學九十七學年度碩士班招生考 系所:生命科學系甲、乙組,生物多樣性研究所 科目:普通生物	
本試題是否可以使用計算機: □可使用 , □不可使用 (請命題老師勾選)	考試日期:0302・節
C. speech	
D. memory	
E. hearing	
1 22 Torong Black to 0	
	itching stops after a few
minutes and you are unaware that you are wearing a shirt. Why?	
A. Sensory adaptation has occurred.	•
B. Accommodation has increased.	
C. Transduction has increased.	
D. Motor unit recruitment has decreased.	
E. Receptor amplification has decreased.	
34. Which function associated with muscle would be most directly affected by	v low levels of calcium?
A. ATP hydrolysis	y low levels of calcium:
B. the initiation of an action potential	
C. the muscle fiber resting membrane potential	
D. muscle contraction	
E. muscle fatigue	
L. Musere Intigue	
35. Of the evolutionary forces, which causes stochastic changes of gene freque	encies hetween generations?
A. gene flow.	
B. random mating.	
C. mutation.	
D. genetic drift.	
E. natural selection.	
36. Of the following forces, which does not favor homozygotes and thereby m	aintains genetic diversity
within populations?	minum Bonono diversity
A balancing selection.	
B. founder's effect.	
C. migration.	
D. assortative mating;	
E. genetic cross-over.	

編號: 75,77 國立成功大學九十七

國立成功大學九十七學年度碩士班招生考試試題

共22頁・第9頁

系所:生命科學系甲、乙組,生物多樣性研究所

科目:普通生物學

本試題是否可以使用計算機: □可使用 ,

使用 夕不可使用

(請命題老師勾選)

考試日期:0302,節次:3

- 37. Of the followings, which pair is incorrect?
 - A. Linnaeus hierarchy of life.
 - B. Lamarck use and disuse.
 - C. Weissman inheritance of acquired characters.
 - D. Darwin descent with modification.
 - E. Mendel genetics
- 38. Sympatric speciation is
 - A. the process by which most animal species have evolved.
 - B. the emergence of many species from a single ancestor.
 - C. initiated by the appearance of a geographical barrier.
 - D. the appearance of a new species in the same area as the parent population.
 - E. especially important in the evolution of island species.
- 39. Biologists have found more than 500 species of fruit flies on the various Hawaiian Islands, all apparently descended from a single ancestor species. This example illustrates
 - A. adaptive radiation.
 - B. polyploidy.
 - C. temporal isolation.
 - D. hybrid breakdown.
 - E. meiotic failure.
- 40. In a population of 10000 individuals, 9 were born with PKU disease. There are two alleles at the gene.

 Of the following which is correct?
 - A. Frequency of the recessive allele = 0.0009.
 - B. Frequency of the heterozygote = 0.0291.
 - C. Frequency of the dominant allele = 0.03.
 - D. Given Hardy-Weinberg equilibrium, frequency of dominant homozygote =0.941.
 - E. In the next generation, frequency of recessive allele = 0.0009
- 41. In a sparrow population; individuals with long wings survive sever storms better than those with average-sized wings illustrating
 - A. bottleneck effect.
 - B. neutral variation.

編號: 75,77 國立成功大學九十七學年度碩士班招 系所:生命科學系甲、乙組,生物多樣性研究所 科目:普通	• • • • •
本試題是否可以使用計算機: □可使用 , ☑不可使用 (請命題老師勾選)	考試日期: 0302,節次:
C. directional selection.	
D. stabilizing selection.	
E. founder's effects.	
42. In evolutionary terms, an organism's fitness is measured by its	
A. stability in the face of environmental change.	
B. health.	
C. migration rate.	
D. contribution to the gene pool of the next generation.	
E. genetic variability.	
43. Which of the following terms is/are correctly described?	
I. Benthic zone: in a lake, the well-lit, open surface water farther from	m shore.
II. Estuaries: the area where a freshwater stream or river merges with	the ocean.
III. Intertidal zone: open water at the edge of the continental shelf.	
IV. Littoral zone: in a lake, the shallow, well-lit water close to shore.	
A. II, IV	
В. І, ІІ,	
C. I, IV	
D. II, III	
44. In a mark-recapture study of NCKU campus lizard population, 50 liz	zards were captured, marked, and
released. In a second capture, 60 lizards were captured; 10 of which v	were marked. What is the estimated
lizard population size on campus?	
A. 250	
B. 300	
C. 500	
D. 3000	
45. Animals that are small in size and produce many young in one breedi	ing season in general
A. can reproduce for many years.	
B. exhibit intensive parental care.	
C. live at a density below carry capacity.	

D. face a higher rate of juvenile mortality.

編號: 75,22 國立成功大學九十七學年度碩士班招生考試試題 共22頁・第11頁 系所:生命科學系甲、乙組,生物多樣性研究所 科目:普通生物學 ☑不可使用 (請命題老師勾選) 本試題是否可以使用計算機: □可使用 , 考試日期:0302, 能次:3 46. The diversity and complexity of bird songs may be associated with I. where a bird is distributed, II. how old a bird is, III its reproductive success, IV physiological and genetic conditions. A. all of them B. none of them C. only II, III D. only I, III 47. Sexually mature offspring of Taiwan blue Magpies usually stay with parents and help vaising other siblings. All of the following statements about this behavior are considered correct except A. This is a case of altruism. B. Kin selection is the selection force for this type of behavior. C. Group selection is the selection force for this type behavior. D. Natural selection is the selection force for this type behavior. 48. Which statement about dispersal is correct? I. Dispersal occurs only on an evolutionary time scale II. A lot of plants depend on animals for their seed dispersal III. The ability to disperse can limit the geographic distribution of a species IV. Dispersal is a common component of the life cycles of plants and animals. A. I, II, III, IV B. I, III, IV C. I, II, IV D. II, III, IV 49. Lichens are A. a symbiotic association of algae and fungi.

50. Bacteria are classified by all of the following EXCEPT their

a symbiotic association of fungi and bacteria.

A. antigens.

D. unicellular

B. biochemical reactions.

prokaryotes.

75,72 編號: 國立成功大學九十七學年度碩士班招生考試試題 共22頁・第12頁 系所:生命科學系甲、乙組,生物多樣性研究所 科目:普通生物學 ☑不可使用 (請命題老師勾選) 本試題是否可以使用計算機: □可使用 考試日期:0302,節次:3 C. DNA or RNA genome. D. Gram stain reaction. 51. Bacteria produce ATP in/on their cell walls. mitochondria C. plasma membranes. D. storage granules. 52. NAG and NAM, constituents of peptidoglycan, are A. lipids. B. nucleic acids C. peptides. D. saccharides. 53. Which of the following structures is most directly associated with the secretion of compounds that will become part of the plant cell wall? A. smooth ER B. plasmodesmata C. Golgi-derived vesicles D. rough ER E. Golgi apparatus 54. A biologist ground up some plant leaf cells and then centrifuged the mixture to fractionate the organelles. Organelles in one of the heavier fractions could produce ATP in the light, while organelles in the lighter fraction could produce ATP in the dark. The heavier and lighter fractions are most likely to contain, respectively, A. mitochondria and chloroplasts. B. chloroplasts and peroxisomes. C. peroxisomes and chloroplasts. D. chloroplasts and mitochondria. E. mitochondria and peroxisomes. 55. When biological membranes are frozen and then fractured, they tend to break along the middle of the

編號: 75,77 國立成功大學九十七學年度碩士班招生考試試題 共22頁,第15頁

☑不可使用

系所: 生命科學系甲、乙組, 生物多樣性研究所

科目:普通生物學

bilayer. The best explanation for this is that

本試題是否可以使用計算機: □可使用

(請命題老師勾選) 考試日期:0302,節次:3

- A. the integral membrane proteins are not strong enough to hold the bilayer together.
- B. water that is present in the middle of the bilayer freezes and is easily fractured.
- C. hydrophilic interactions between the opposite membrane surfaces are destroyed on freezing.
- D. the carbon-carbon bonds of the phospholipid tails are easily broken.
- E. the hydrophobic interactions that hold the membrane together are weakest at this point.
- 56. What is the voltage across a membrane called?
- A. water potential
- B. chemical gradient
- C. electrochemical gradient
- D. osmotic potential
- E. membrane potential
- 57. When a glucose molecule loses a hydrogen atom (not a hydrogen ion) as the result of an oxidation-reduction reaction, the molecule becomes
- A. oxidized
- B. reduced.
- C. dehydrogenated.
- D. hydrogenated.
- E. an oxidizing agent.
- 58. Glycolysis is thought to be one of the most ancient of metabolic processes. Which statement supports this idea?
- A. Glycolysis is the most widespread metabolic pathway.
- B. Glycolysis neither uses nor needs O₂.
- C. Glycolysis is found in all eukaryotic cells.
- D. The enzymes of glycolysis are found in the cytosol rather than in a membrane-enclosed organelle.
- E. Ancient prokaryotic cells, the most primitive of cells, made extensive use of glycolysis long before oxygen was present in Earth's atmosphere.
- 59. A small molecule that specifically binds to another molecule, usually a larger one
- A. is called a signal transducer.
- B. is called a ligand.

(背面仍有題目,請繼續作答

編號: 75,92 國立成功大學九十七學年度碩士班招生 系所:生命科學系甲、乙組,生物多樣性研究所 科目:普通生物	•
本試題是否可以使用計算機: □可使用 , □不可使用 (請命題老師勾選)	考試日期:0302,節次:3
C. is called a polymer.	
D. seldom is involved in hormonal signaling.	
E. usually terminates a signal reception.	
60. Which of the following most likely would be an immediate result of grow	with factor hinding to its recentor?
A. protein kinase activity	will factor binding to its receptor?
B. adenylyl cyclase activity	
C. GTPase activity	
D. protein phosphatase activity	
E. phosphorylase activity	
2. phospholylase activity	
61. If there are 20 chromatids in a cell at metaphase, how many chromosome following cytokinesis?A. 5	es are there in each daughter cell
B. 10	
C. 20	
D. 40	
E. 80	
•	
 62. A particular cyclin called cyclin E forms a complex with a cyclin-depend complex is important for the progression of the cell from G₁ into the S ph the following statements is correct? A. The amount of cyclin E is greatest during the S phase. 	
B. The amount of Cdk 2 is greater during G ₁ compared to the S phase.	
C. The amount of cyclin E is highest during G ₁ .	
D. The amount of Cdk 2 is greatest during G ₁ .	
E. The activity of the cyclin E/Cdk 2 complex is highest during G ₂ .	
63. In the non-cyclic electron transfer chain of light reaction photosynthesis, donor for the photosystem Π and the final receptors of electron areA. CO ₂ ATP B. H ₂ O O ₂	is the electron
C. H ₂ O ATP	
D. CO ₂ glyceraldehyde-3-phosophate E. H ₂ O NADPH	

75,22 編號: 共 22 頁,第15頁 國立成功大學九十七學年度碩士班招生考試試題 系所:生命科學系甲、乙組,生物多樣性研究所 科目:普通生物學 本試題是否可以使用計算機: □可使用 , ☑不可使用 (請命題老師勾選) 考試日期:0302 節次:3 64. The reactions of the Calvin cycle are not directly dependent on light, but they usually do not occur at night. Why? A. Stomata close at night thus limit carbon dioxide concentrations required for the reaction B. It is often too cold at night for these reactions to take place. C. The Calvin cycle depends on products of the light reactions. D. Water transport from the root dramatically decreases at night due to the stop of transpiration. E. The Calvin cycle requires light-activated phytochrome 65. The energy used to produce ATP in the light reactions of photosynthesis comes from: A. the burning of sugar molecules B. splitting water C. movement of protons through the thylakoid membrane D. carbon fixation E. fluorescence 66. Which of the following is the product generated from the Calvin cycle? Where does the Calvin cycle occur? A. sucrose $[(C_6H_{12}O_6)_2]$; thylakoid space B. glucose $(C_6H_{12}O_6)$; thylakoid stroma C. glyceraldehyde-3-phosophate (C₃H₇O₆P); chloroplast stroma D. malate $(C_4H_6O_5)$; thylakoid membrane E. starch; cytoplasm 67. Which of the following processes is aided by the membrane potential established by the proton pump? A. uptake of K⁺ B. cotransport of NO3 C. both (A) and (B) are correct. D. transport of sucrose E. all of the above answers are correct 68. A plant cell with solute potential of -0.7 MPa and pressure potential of 0 MPa is placed in the solution with solute potential of -0.13 MPa in an open container. This plant cell will: A. lose water and become turgid B. lose water and plasmolyze C. gain water and become turgid D. gain water and break apart

(背面仍有題目,請繼續作答)

E. remain the same shape

75,77 編號:

國立成功大學九十七學年度碩士班招生考試試題

系所:生命科學系甲、乙組,生物多樣性研究所

科目:普通生物學

本試驗是否可以使用計算機: □可使用 ,

☑不可使用

(請命題老師勾選)

考試日期:0302, 節次:3

共 22 頁・第16頁

- 69. In alternation of generations in plants:
 - A. the sporophyte is the haploid generation
 - B. a sporophyte grows from a spore
 - C. the spores are produced by the gametophyte by meiosis and cellular differentiation
 - D. the gametes are produced by the gametophyte through mitosis and cellular differentiation
 - E. the gametes are produced by the gametophyte through meiosis and cellular differentiation
- 70. Which hormone is INCORRECTLY paired with its function?
 - A. auxin- promotes stem growth through cell elongation
 - B. gibberellins- induce seed germination and promote apical dominance
 - C. cytokinins- stimulate cell division
 - D. ethylene- promotes programmed cell death (apoptosis)
 - E. brassinosteroids- induce cell elongation and cell division in stem and seedlings
- 71. Some seeds require light for germination, which is controlled by the phytochrome system. In which one of the following treatments would germination NOT occur?
 - A. red light only
 - B. red light followed by blue light
 - C. blue light followed by red light
 - D. red light followed by far-red light
 - E. far-red light followed by red light
- 72. A short-day plant flowers only if days are shorter than 10 hours. Which of the following orders of treatments will cause it to flower?
 - A. 6 hours light, 10 hours dark, flash of light, 8 hours dark
 - B. 6 hours light, 10 hours dark, flash of red light, 8 hours dark
 - C. 14 hours light, 10 hours dark
 - D. 8 hours light, 8 hours dark, flash of red light, 8 hours dark
 - E. 8 hours light, 8 hours dark, flash of red light, flash of far-red light, 8 hours dark
- 73. A botanist discovers a new species of plant in a tropical rain forest. After observing its anatomy and life cycle, the following characteristics are noted: flagellated sperm, xylem with tracheids, separate gametophyte and sporophyte generations, and no seeds. This plant is probably most closely related to
- A. Bryophyta
- B. Charophyta
- C. Pteridophyta
- D. Ascomycota

國立成功大學九十七學年度碩士班招生考試試題

共 22 頁,第17頁

系所: 生命科學系甲、乙組 , 生物多樣性研究所

科目:普通生物學

本試題是否可以使用計算機: □可使用 ,

(請命題老師勾選)

考試日期:0302:節次:3

- E. Anthophyta (Angiosperm)
- 74. All of the following are characteristic of angiosperms except
- A. coevolution with animal pollinators.
- B. double internal fertilization.
- C. free-living gametophytes.
- D. styles and stigmas.
- E. fruit.
- 75. Where in an angiosperm would you find a megasporangium?
- A. in the style of a flower
- B. producing a megaspore within the archegonium of the female gametophyte
- C. enclosed in the stigma of a flower
- D. within an ovule contained within an ovary of a flower
- E. packed into pollen sacs within the anthers found on a stamen
- 76. Which of the following tissues is incorrectly matched with its characteristics?
- A. collenchyma-uniformly thick-walled supportive tissue
- B. epidermis-protective outer covering of plant body
- C. sclerenchyma-heavily lignified secondary walls
- D. meristematic tissue-undifferentiated tissue capable of cell division
- E. parenchyma-thin-walled, loosely packed, unspecialized cells
- 77. Which of the following is true about secondary growth in plants?
- A. Flowers may have secondary growth.
- B. Secondary growth is a common feature of eudicot leaves.
- C. Secondary growth is produced by both the vascular cambium and the cork cambium.
- D. Primary growth and secondary growth alternate in the life cycle of a plant.
- E. Plants with secondary growth are typically the smallest ones in an ecosystem.
- 78. Which structure is incorrectly paired with its tissue system?
- A. root hair-dermal tissue
- B. palisade parenchyma-ground tissue
- C. guard cell-dermal tissue

編號: 75,77 系所:生命科學系甲、乙組		十七學年度碩士班招生考試試題 科目:普通生物學	共 2 2 頁,第18頁
本試題是否可以使用計算機:	□可使用 , □不可使	用 (請命題老師勾選)	考試日期: 0302・節次: 3
D. companion cell-ground to	issue		
E. tracheid-vascular tissue			
79. In flowering plants, meio	osis occurs specifically	in the	
A. spore mother cells.			
B. gametophytes.			
C. endosperm.			
D. gametes.			
E. embryos.			
80. Lichens sometimes repro	oduce asexually using		
A. aseptate fungal hyphae lo		thetic cells.	
B. the fruiting bodies of fung			
C. flagellated, conjoined spor	res of both the fungus	and alga.	
D. specialized conidiophores			
E. small clusters of fungal hy		tosvnthetic cells.	
	J.		
81. What is the term for the	e physical processes the	at give rise to the shape of an organi	sm?
A. mitosis			
B. morphogenesis			
C. totipotency			
D. differentiation			
E. pluripotency			
00 Min of callular	44.00		
82. The process of cellular of A. differential gene expression		ct result of	. *
B. cell division.	n.		
C. differences in cellular geno	∩meg		
D. morphogenesis.	Jines.		
E. apoptosis.			
83. Which chemical is not n	normally found in any s	sponges?	•
A. chitin			
B. silica			
C. calcium carbonate			
D. spongin			

75,77 編號: 國立成功大學九十七學年度碩士班招生考試試題 共 2 2 頁 第19頁 系所:生命科學系甲、乙組,生物多樣性研究所 科目:普通生物學 本試題是否可以使用計算機: □可使用 , 心不可使用 (請命題老師勾選) 考試日期:0302,箭次:3 E. cribrostatin While sampling marine plankton in a lab, a student encounters large numbers of fertilized eggs. rears some of the eggs in the laboratory for further study and finds that the blastopore becomes the mouth. The embryo develops into a trochophore larva and eventually has a coelom. These eggs probably belonged to a(n) A. echinoderm. B. arthropod. C. annelid. D. mollusc E. nematode. To which of these are the scales of chondrichthyans most closely related in a structural sense? A. osteichthyan scales B. reptilian scales C. mammalian scales D. chondrichthyan teeth E. bird scales What permits reptiles to thrive in arid environments? A. A cartilaginous endoskeleton provides needed flexibility for locomotion on sand. B. They have an acute sense of sight, especially in bright sunlight. C. Their bright coloration reflects the intense UV radiation. D. Their scales contain the protein keratin, which helps prevent dehydration. E. A large number of prey and a limited number of predators are available in the desert. 87. Which of the following describes cardiac muscle?

A. smooth and voluntary

B. striated and branched

C. smooth and involuntary

D. striated and unbranched

E. striated and voluntary

Which of the following layers of the stomach is best described as being composed primarily of 88. epithelial tissue?

A. mucosa

B. lumen

C. muscularis

編號: 75,17 國立成功大學九十七學年度碩士班招生考試試題 共 22 頁・第20頁 系所:生命科學系甲、乙組 ,生物多樣性研究所 科目:普通生物學 本試題是否可以使用計算機: □可使用 , ▼不可使用 (請命題老師勾選) 考試日期:0302, 節次:3 D. submucosa E. serosa 89. In lakes and ponds, eutrophication occurs when _____; it can lead to A. levels of dissolved CO₂ rise ... bicarbonate levels too high to support life B. pesticides are washed off agricultural land ... decreased aquatic biodiversity C. toxic substances accumulate in lake sediments ... biohazards in the food web D. nutrients from human-altered terrestrial ecosystems are deposited in the water body ... anaerobic conditions in deeper waters E. primary producers are killed by pollution ... starvation of organisms at higher trophic levels 90. Biogeochemical cycles are crucial to ecosystem function because _____. A. they keep the planet warm enough for living things to survive B. nutrients and other life-sustaining molecules are in limited supply and must be continually recycled C. energy flows through ecosystems in one direction only and is eventually dissipated as heat D. they remove poisons and keep them locked up in "sinks" E. they prevent catastrophic extinctions 91. What is the term for a top predator that contributes to the maintenance of species diversity among its animal prey? A. keystone species B. keystone mutualist C. landscape species D. primary consumer E. tertiary consumer 92. Which of the following is not used in calculating an ecological footprint? A arable land B. pasture and forest lands C. fossil energy land D. demographically transitional land E. built-up land 93. Which of the following is not true about edge effects?

B. Edges have their own set of physical conditions, which differ from those on either side.

A. They are defining features of landscapes.

國立成功大學九十七學年度碩士班招生考試試題

共 22 頁,第2/頁

系所:生命科學系甲、乙組,生物多樣性研究所

科目:普通生物學

本試題是否可以使用計算機: □可使用 ,

可使用, 127不可使用

(請命題老師勾選)

考試日期:0302, 節次:3

- C. As a habitat patch becomes progressively smaller, the percentage of the patch influenced by the edge effect increases.
- D. As habitats are fragmented, edge-adapted species benefit at the expense of other species that are not edge-adapted.
- E. When edges expand, this is detrimental to all species.
- 94. What is the key factor driving an extinction vortex?
 - A. loss of genetic variation
 - B. the size of the endangered organisms
 - C. the size of the population
 - D. the major threats to biodiversity that were involved in making the species endangered
 - E. how involved humans are in saving the population from extinction
- 95. Which of the following statement is incorrect?
 - A. Human body tends to story any excess fat instead of using them for fuel.
 - B. Fat in the diet can have more direct effect on weight gain than dietary carbohydrates.
 - C. Body tends to increase its rate of carbohydrate oxidation.
 - D. Leptin cues the brain to depress the appetite.
 - E. None of the above.
- 96. Cows are able to survive on a diet consisting almost entirely of cellulose because
 - A. Cows are autotrophic.
 - B. The cow, like the rabbit, reingests its feces.
 - C. Cows can manufacture all 15 amino acids out of sugars in the liver.
 - D. The cow's saliva has enzymes capable of digesting cellulose.
 - E. Cows have cellulose-digesting, symbiotic microorganisms in their rumens.
- 97. Why is internal fertilization considered more advantageous than external fertilization?
 - A. Usually fewer offspring are produced, so ample food supply is available.
 - B. The time and energy devoted to reproduction is decreased.
 - C. The smaller number of offspring often receive a greater amount of parental protection.
 - D. The increased survival rate results in rapid population increases.
 - E. Usually a smaller number of genes are present, which promotes genetic stability.
- 98. Which of the following statement is correct?
 - A. oogenesis produces one functional ovum, whereas spermatogenesis produces four functional spermatozoa.
 - B. spermatogenesis is not complete until fertilization occurs. (背面仍有題目,請繼續作答

編號: 75,77 國立成功大學九十七學年度碩士班招生考試試題 共 22 頁,第22頁 系所:生命科學系甲、乙組,生物多樣性研究所 科目:普通生物學 本試題是否可以使用計算機: □可使用 , ☑不可使用 (請命題老師勾選) 考試日期:0302,節次:3 C. oogenesis begins at the onset of sexual maturity. D. During the meiotic divisions of oogenesis cytokinesis is equal. None of the above. 99. Which developmental sequence is correct? cleavage, blastula, gastrula, and morula B. cleavage, gastrula, morula, and blastula C. cleavage, morula, blastula, and gastrula D. gastrula, morula, blastula, and cleavage E. morula, cleavage, gastrula, and blastula 100. The shaping of an animal and its individual parts into a body form with specialized organs and tissues is called A. pattern formation. B. induction. C. differentiation. D. determination. E. organogenesis.